









Government of Goa

DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP

MARGAO GOVERNMENT INDUSTRIAL TRAINING INSTITUTE

BORDA MARGAO GOA Ph:(0832) 2714887

Website: www.itimargao.goa.gov.in

Email: margao-iti.goa@nic.in

Ref No.: MRGITI/STR/F-69/2025-26/985

Date: 06 /11/2025.

To,

O/c.

Sub: - Invitation of Quotations for supply of Primary Current Injection set ! Current Transformer / Potential Transformer / and Ceiling Fan Coil Winding Machine for Electrician Trade reg.

Sir,

Quotations are invited in sealed envelopes for the supply of the stores at Margao Government I.T.I. Borda Margao-Goa. As per the specification and quantity mentioned below.

Sr. No.	Description of the Item	Quantity Required
01)	ANNEXURE I ENCLOSED	

The terms and conditions as applicable for the supply of stores are as follows:-

- 1. The materials will have to be supplied within the period of 15 days from the date of placing of the supply order.
- 2. The CST, Octroi, Sales Tax, GST and any other levy applicable at the time of supply may be shown separately in the quotation, otherwise it will be presumed that the price offered are inclusive of all taxes whatever may be.
- 3. The rate quoted shall be inclusive of packing and forwarding charges and freight paid for destination I.T.I. Margao Goa.
- 4. The make, Brand, Model, etc. giving the details of the material quoted for should be mentioned in the quotation or else the item quoted shall be liable for rejection.

- 5. The printed terms and conditions in your quotation will not be binding unless specially referred to in the covering letter.
- 6. The quotation shall be valid for 90 days from the date of the opening of the same.
- 7. The store will be inspected for acceptance and will be accepted if it confirms to the specification mentioned in the supply order. (The stores can be inspected in your presence or in the presence of your representative).
- 8. In case of the rejection of the stores for not confirming to specification in the supply order, it will be the sole responsibility of the supplier to make arrangement to collect the same at his own cost and risk immediately.
- This office reserves the right to accept or reject any or all the quotations without assigning any reason thereof.
- 10.In the event of any disputes arising out in the connection it shall be subject to the jurisdiction of DSDE at Panaii-Goa.
- 11.In case the payment is desired outside the state by a Demand-Draft, the bank commission shall have to be borne by the supplier.
- 12. The material supplied, as the case may be, should carry a warranty/guarantee against the defect for a period of 12 months or more from the date of acceptance.
- 13. The cost of installation, commencing, and demonstration if any shall be mentioned separately along with the item in case of tools and equipment.
- 14. The Instruction/operating manual shall be furnished along with the equipment as the case may be.
- 15. The Quotations will be evaluated as a single package for award of contract.
- 16. The quotations may be sent in sealed cover super scribing "QUOTATION NUMBER & SUBJECT" so as to reach this office on or before 1.00 P.M. on 13/11/2025 which will be opened on the same day at 1.00 P.M.

Yours faithfully

Rama Naik (Principal)

	ANNEXURE I				
Sr.No	Discription Current Transformer 415V, 50Hz, CT Ratio 25 / 5A, 5VA		uantity	Unit Rate	Total Amour
1			Nos		
2	Potential Transformer 415V, 50Hz, PT Ratio, 440V/110V, 10VA	3	Nos		
3	Ceiling Fan Coil Winding Machine 220V, 50 Hz, 1-Ф, with Speed Control	1	Nos		
4	200A Primary Current Injection Set Salient Features: • 220V, 50 Hz, 1-Φ, Output Current -200A with Timer. • Incoming Cables or plug and sockets. • Incoming main switch. • Input fuse. • Mains lamp & "START" injection indicating lamp. • Continuously variable auto transformer providing smooth control zero to maximum rated current. • Output current selection in ranges of ranges (as per specification required) by external LINK arrangement. • Double wound loading transformer with secondary winding section arranged for different output current ranges can be selected by making the serious parallel link properly. • High Current output terminal. • Light current voltage output terminal. • 0-5Amp A.C. Digital (Scale 0-100% of selected range) Am meter in the secondary circuit of the current transformer, giving direct reading of loading current. • Sets are provided with over current protective device along with push buttons and connector. Accessories: (1) Power Cable (2) User Manual (3) Digital Timer (4) Output Current Cables	1	Nos	TOTAL	
		TOTAL			
	GST				
		T	OTAL A	MOUNT	

